

ELECTRICITY INDUSTRY ACT 2004
ELECTRICITY INDUSTRY WHOLESALE MARKET REGULATIONS 2004
Wholesale Electricity Market Rules

IMO AMENDING RULES 2012_01 MADE ON 11 July 2012
These Amending Rules commence at 08.00am on 1 August 2012

The following clauses are amended (~~deleted wording~~, new wording):

- 2.30B.1 An Intermittent Load is a Load or a part of a Load associated with consumption in excess of a level specified by the Market Participant, that satisfies the requirements of clause 2.30B.2 and is recorded in Standing Data as being an Intermittent Load.
- 2.30B.2. For a Load or part of a Load to be eligible to be an Intermittent Load the IMO must be satisfied that the following conditions are met:
- (a) a generation system must exist:
 - i. which can typically supply the maximum amount of that Load to be treated as Intermittent Load either in accordance with clause 2.30B.11 or without requiring energy to be withdrawn from a Network. Where clause 2.30B.11 applies then, for the purpose of this clause 2.30B.2(a)(i), the amount that the generation system can supply must be Loss Factor anaT60ed from the connection point of the generation system to the connection point of the Intermittent Load;
 - ii. the output of which is net0ed off consumption of the Load either in accordance with clause 2.30B.12 or by the meter registered to that Load; and
 - iii. which would in the view of the IMO, if it were not serving an Intermittent Load, be eligible to hold an amount of Certified Reserve Capacity, determined in accordance with clause 2.30B.4, at least sufficient to supply the amount of energy that the generation system is required by clause 2.30B.2(a)(i) to be able to supply while simultaneously being able to satisfy obligations on any Capacity Credits associated with that generation system;
 - (b) the Intermittent Load shall reasonably be expected to have net consumption of energy (based on Metered Schedules calculated in accordance with the methodology prescribed in clause 2.30B.10) for not more than 4320 Trading Intervals in any Capacity Year;
 - (c) the Market Customer for that Load must have an agreement in place with a Network Operator to allow energy to be supplied to the Load from a Network;
 - (d) the Load is an Interruptible Load or a Non-Dispatchable Load; and

